

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 9-1-2018 Revision date: 22-1-2018 Supersedes: 9-1-2018 Version: 2.0

SECTION 1: Ide	entification of the subs	tance/mixture and of the	company/undertaking	
1.1. Product i	dentifier			
Product form	:	Mixture		
Product name :		NextDent Denture 3D+		
Product group :		Trade product		
1.2. Relevant	identified uses of the substa	nce or mixture and uses advis	sed against	
1.2.1. Relevant	identified uses			
Main use category	:	Professional use		
Use of the substanc	e/mixture	Manufacture of 3D-printed ap	plications for the dental industry	
Use of the substanc	e/mixture	Dentistry		
Title		Use descriptors		
NextDent Denture 3	D+	SU20		
	riptors: see section 16 ised against ation available			
1.3. Details of	f the supplier of the safety da	ta shoot		
T +31 886160400 info@vertex-dental.	rg - The Netherlands <u>com</u> - <u>www.vertex-dental.com</u> <u>cy telephone number</u>	Only for the purpose of inform	ning medical personnel in cases	of accidental intoxications. The
0	0			0
Country	Organisation/Company	Address Dudley Road	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	P19 70U Dirminghom	0344 892 0111	
2.1. Classification accord Classification accord Skin sensitisation, C Hazardous to the ac Chronic Hazard, Ca	quatic environment — H412	. 1272/2008 [CLP] 7		
No additional inform		nvironmental effects		
2.2. Label ele				
Labelling accordin Hazard pictograms	g to Regulation (EC) No. 127 (CLP)			
Signal word (CLP)		GHS07		
Signal word (CLP) Hazardous ingredie	nts		diphenyl(2,4,6- trimethylbenzoyl)	phosphine oxide; 2-hydroxyethy
Hazard statements		methacrylate H317 - May cause an allergic		
Precautionary stater	ments (CLP)	H412 - Harmful to aquatic life P280 - Wear protective gloves		
	. /	P333+P313 - If skin irritation of	or rash occurs: Get medical advid	ce/attention.

19-4-2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P363 - Wash contaminated clothing before reuse.
P273 - Avoid release to the environment.
P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. **Other hazards**

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Mixtures 3.2.

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethoxylated bisphenol A dimethacrylate	(CAS-No.) 41637-38-1 (EC-No.) 609-946-4	=>75	Aquatic Chronic 4, H413
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12- diazahexadecane-1,16-diyl bismethacrylate	(CAS-No.) 72869-86-4 (EC-No.) 276-957-5 (REACH-no) 01-2120751202-68	10 - 20	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
2-hydroxyethyl methacrylate	(CAS-No.) 868-77-9 (EC-No.) 212-782-2 (EC Index-No.) 607-124-00-X (REACH-no) 01-2119490169-29	5 - 10	Eye Irrit. 2, H319 Skin Sens. 1, H317
Silicon dioxide substance with national workplace exposure limit(s) (GB)	(CAS-No.) 7631-86-9 (EC-No.) 231-545-4 (REACH-no) 01-2119379499-16	5 - 10	Not classified
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	(CAS-No.) 75980-60-8 (EC-No.) 278-355-8 (EC Index-No.) 015-203-00-X (REACH-no) 01-2119972295-29	1 - 5	Skin Sens. 1B, H317 Repr. 2, H361f Aquatic Chronic 2, H411
Titanium dioxide substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB)	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (REACH-no) 01-2119489379-17	< 0,1	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
No additional information available	
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ibstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	<u> </u>		
SECT	ON 6: Accidental release meas	su	res
6.1.	Personal precautions, protective eq	uip	ment and emergency procedures
6.1.1.	For non-emergency personnel		
Emerge	ncy procedures	:	Evacuate unnecessary personnel.
6.1.2.	For emergency responders		
No addi	tional information available		
6.2.	Environmental precautions		
Prevent	entry to sewers and public waters. Notify	y at	uthorities if liquid enters sewers or public waters.
6.3.	Methods and material for containme	ent	and cleaning up
Methods	s for cleaning up	:	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials.
6.4.	Reference to other sections		
Concerr	ning personal protective equipment to use	e, s	ee section 8. Concerning disposal elimination after cleaning, see section 13.
SECT	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Precaut	ions for safe handling	:	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene	measures	:	Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2.	Conditions for safe storage, including	ng	any incompatibilities
Storage	conditions	:	Keep only in original container. Keep container closed when not in use. To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting self-closing lids.
Incompa	atible products	:	Strong bases. Strong acids.
Incompa	atible materials	:	Sources of ignition. Direct sunlight.
7.3.	Specific end use(s)		
No addi	tional information available		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silicon dioxide (7631-86-9)		
United Kingdom	WEL TWA (mg/m ³) 6 mg/m ³ (inhalable aerosol)	
		2,4 mg/m ³ (respirable aerosol)
Titanium dioxide (13463-67-7	()	
EU	Local name	Titanium dioxide
EU	Notes	SCOEL Recommendations (Ongoing)
EU	Regulatory reference	SCOEL Recommendations
United Kingdom	Local name	Titanium dioxide
United Kingdom	WEL TWA (mg/m³)	10 mg/m ³ inhalable aerosol
		4 mg/m ³ respirable aerosol
United Kingdom	Regulatory reference	EH40. HSE

Ethoxylated bisphenol A dimethacrylate (41637-38-1)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	2 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	3,52 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0,5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0,87 mg/m³	
Long-term - systemic effects, dermal	1 mg/kg bodyweight/day	
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (75980-60-8)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	3,5 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0,00353 mg/l	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

diphenyl(2,4,6- trimethylbenzoyl)phosphin	e oxide (75980-60-8)
PNEC aqua (marine water)	0,000353 mg/l
PNEC aqua (intermittent, freshwater)	0,0353 mg/l
PNEC (Sediment)	0,0000 mg/r
PNEC sediment (freshwater)	0,29 mg/kg bw
PNEC sediment (marine water)	
PNEC (Soil)	0,029 mg/kg bw
PNEC (Soli) PNEC soil	0,0557 mg/kg bw
2-hydroxyethyl methacrylate (868-77-9)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1,3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	4,9 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0,83 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2,9 mg/m ³
Long-term - systemic effects, dermal	0,83 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,48 mg/l
PNEC aqua (marine water)	0,48 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC aqua (intermittent, marine water)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3,79 mg/kg bw
PNEC sediment (marine water)	3,79 mg/kg bw
PNEC (Soil)	
PNEC soil	0,47 mg/kg bw
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
Titanium dioxide (13463-67-7)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	10 119/11-
Long-term - systemic effects,oral	700 mg/kg bodyweight/day
PNEC (Water)	700 mg/kg bodyweigh/day
PNEC (Waler) PNEC aqua (freshwater)	0.000184 mg/
PNEC aqua (mesnwater) PNEC aqua (marine water)	0,000184 mg/l 0,0184 mg/l
	0,0184 mg/l
PNEC aqua (intermittent, freshwater)	0,193 mg/i
PNEC (Sediment)	
PNEC sediment (freshwater)	1000 mg/kg bw
PNEC sediment (marine water)	100 mg/kg bw
PNEC (Soil)	
PNEC soil	100 mg/kg bw
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dio	oxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1,3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3,3 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0,3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0,6 mg/m ³
Long-term - systemic effects, dermal	0,7 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,01 mg/l
PNEC aqua (mesnwater)	0,001 mg/l
PNEC aqua (intermittent, freshwater)	
PNEC aqua (intermittent, marine water)	0,1 mg/l 0,1 mg/l
PNEC (Sediment)	4.56 malka hu
PNEC sediment (freshwater)	4,56 mg/kg bw
19-4-2018	EN (English) 4/-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)			
PNEC sediment (marine water)	0,46 mg/kg bw		
PNEC (Soil)	PNEC (Soil)		
PNEC soil	0,91 mg/kg bw		
PNEC (STP)			
PNEC sewage treatment plant 3,61 mg/l			
8.2. Exposure controls			

Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. penetration time (maximum wearing period): > 480 m. Suitable material: Nitrile rubber, Chloroprene rubber, Polyvinylchloride (PVC). Layer thickness : 0,4 mm - 0,5 mm - 0,7 mm

Eye protection:

Wear eye glasses with side protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. particle filter device (DIN EN 143)

Personal protective equipment symbol(s):



Environmental exposure controls:

Use appropriate container to avoid environmental contamination.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and	9.1. Information on basic physical and chemical properties			
Physical state	: Liquid			
Colour	: pink.			
Odour	: characteristic.			
Odour threshold	: No data available			
рН	: No data available			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: No data available			
Auto-ignition temperature	: No data available			
Decomposition temperature	: > 400 °C			
Flammability (solid, gas)	: No data available			
Vapour pressure	: No data available			
Relative vapour density at 20 °C	: No data available			
Relative density	: No data available			
Density	: 1,26 g/cm ³			
Solubility	: Soluble in organic solvents.			
Log Pow	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosive properties	: No data available			
Oxidising properties	: No data available			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits	: No data available
0.2. Other information	
/OC content	: 0%
SECTION 10: Stability and re	eactivity
0.1. Reactivity	
No additional information available	
0.2. Chemical stability Not established.	
0.3. Possibility of hazardous r	eactions
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low	temperatures.
0.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition	n products
lo additional information available	
SECTION 11: Toxicological	information
1.1. Information on toxicologi	cal effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Ethoxylated bisphenol A dimetha	crylate (41637-38-1)
LD50 oral rat	2000 mg/kg
LD50 dermal rat	2000 mg/kg
diphenyl(2,4,6- trimethylbenzoyl)	phosphine oxide (75980-60-8)
LD50 oral rat	5000 mg/kg
LD50 dermal rat	2000 mg/kg
2-hydroxyethyl methacrylate (868	-77-9)
LD50 oral rat	5564 mg/kg
LD50 dermal rabbit	5000 mg/kg
Silicon dioxide (7631-86-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Titanium dioxide (13463-67-7)	
LD50 oral rat	2000 - 25000 mg/kg
LC50 inhalation rat (mg/l)	3,43 - 6,82 mg/l/4h
7,7,9(or 7,9,9)-trimethyl-4,13-diox	o-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)
LD50 oral rat	5000 mg/kg
LD50 dermal rat	2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
5101-repeated exposure	
TOT-repeated exposure Ethoxylated bisphenol A dimetha	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (75980-60-8)		
LOAEL (oral, rat, 90 days)	250 - 300 mg/kg bodyweight/day	
NOAEL (oral, rat, 90 days)	50 - 100 mg/kg bodyweight/day	
2-hydroxyethyl methacrylate (868-77-9)		
NOAEL (oral, rat, 90 days)	100 - 1500 mg/kg bodyweight/day	
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)		
NOAEL (oral, rat, 90 days)	100 - 300 mg/kg bodyweight/day	
Aspiration hazard	Not classified	

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Avoid release to the environment.	
Acute aquatic toxicity	: Not classified	
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.	
Ethoxylated bisphenol A dimethacrylate (4163	37-38-1)	
NOEC (chronic)	14,3 mg/l 28 d	
diphenyl(2,4,6- trimethylbenzoyl)phosphine o	xide (75980-60-8)	
LC50 fishes	6,53 mg/l (48 h)	
EC50 Daphnia	3,53 mg/l	
EC50 72h algae (1)	2,01 mg/l	
2-hydroxyethyl methacrylate (868-77-9)		
LC50 fishes	100 mg/l	
EC50 other aquatic organisms 1	380 mg/l 48h	
EC50 72h algae (1)	345 - 836 mg/l	
NOEC chronic crustacea	24,1 mg/l (21 d)	
Titanium dioxide (13463-67-7)		
LC50 fishes	155 - 294 mg/l	
EC50 Daphnia	19,3 - 33,6 mg/l	
EC50 72h algae (1)	100 mg/l	
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)		
LC50 fishes	10,1 mg/l	
EC50 Daphnia	1,2 mg/l	
EC50 72h algae (1)	0,68 mg/l	

12.2. Persistence and degradability

Titanium dioxide (13463-67-7)		
Biochemical oxygen demand (BOD)	not applicable	
Chemical oxygen demand (COD)	not applicable	
ThOD	not applicable	
BOD (% of ThOD)	not applicable	
12.3. Bioaccumulative potential		

Ethoxylated bisphenol A dimethacrylate (41637-38-1)		
Log Pow	3,43 - 5,62 @ pH 6.44	
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (75980-60-8)		
Log Pow 3,1 - 3,87 @ 23 °C and pH 6.4		
2-hydroxyethyl methacrylate (868-77-9)		
Log Pow	og Pow 0,42 @ 25 °C and pH 5.9 - 6.1	
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)		
Log Pow	3 - 3,39 @ 20 °C and pH 7	
12.4. Mobility in soil		

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects	
Additional information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Can be dumped in according to local regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	2-hydroxyethyl methacrylate
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	NextDent Denture 3D+ - 7,7,9(or 7,9,9)- trimethyl-4,13-dioxo-3,14-dioxa-5,12- diazahexadecane-1,16-diyl bismethacrylate - 2- hydroxyethyl methacrylate
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	NextDent Denture 3D+ - Ethoxylated bisphenol A dimethacrylate - 7,7,9(or 7,9,9)-trimethyl-4,13- dioxo-3,14-dioxa-5,12-diazahexadecane-1,16- diyl bismethacrylate

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Section	Changed item	Change	Comments
	Supersedes	Added	
	Revision date	Added	
	Date of issue	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures after skin contact	Removed	
7.2	Precautionary statements (CLP)	Modified	
8.2	Personal protective equipment	Removed	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

Regulation (EC) No 1907/2006.
DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H361f	Suspected of damaging fertility.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

Full text of use descriptors

SU20	Health services		
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product